EMS TRAUMA REGISTRY DATA DICTIONARY

Table of Contents

EMS TRAUMA REGISTRY DATA DICTIONARY

EMS TRAUMA REGISTRY DATA DICTIONARY

EMS Agency Name

Definition: EMS Agency Name

Maven Question Package ID:	Agency/Responder
Maven Question ID:	EMS_AGENCY_NAME EMS_AGENCY_NAME_NULL_VALUES
Answer type:	Selection
Element Length:	100
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eResponse.02
TRACIT Field Name:	No

Selection Values/Reference List:

Not Applicable Not Recorded Not Reporting

EMS TRAUMA REGISTRY DATA DICTIONARY

EMS Agency Number

Definition: The state-assigned provider number of the responding EMS entity (agency).

Maven Question Package ID:	Agency/Responder
Maven Question ID:	EMS_AGENCY_NUMBER
Answer type:	Number
Element Length:	15
Required:	MANDATORY
Repeatable:	No
Null Values:	No
NEMSIS Field Name:	eResponse.01
TRACIT Field Name:	FIRMNO

Selection Values/Reference List:

If left blank, the system will not create a record.

EMS TRAUMA REGISTRY DATA DICTIONARY

Patient Care Report Number

Definition: The unique number automatically assigned by the EMS agency for each Patient Care Report (PCR). This should be a unique number for the EMS agency for all of time.

Maven Question Package ID:	Administrative
Maven Question ID:	PATIENT_CARE_REPORT_NUMBER
Answer type:	String
Element Length:	32
Required:	MANDATORY
Repeatable:	No
Null Values:	No
NEMSIS Field Name:	eRecord.01
TRACIT Field Name:	RRID

Selection Values/Reference List:

Unknown: If unable to obtain the Patient Care Report Number then record Unknown as the patient care report number. If left blank, the system will not create a record.

EMS TRAUMA REGISTRY DATA DICTIONARY

EMS Transfer Method

Definition: Transport method by this EMS Unit.

Maven Question Package ID:	Disposition/Outcome
Maven Question ID:	EMS_TRANSPORT_METHOD
Answer type:	Single Select
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eDisposition.16
TRACIT Field Name:	VTYPE

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
1	None	Not Applicable
2	Ground	Ground-Ambulance
3	Rotor craft	Air Medical – Rotor Craft
4	Fixed wing	Air Medical – Fixed Wing
5	Water	Water – Boat
		Ground – ATV or Rescue Vehicle
		Ground-Bariatric
		Ground – Mass Casualty Bus/Vehicle
		Ground – Wheelchair Van
8	Other	Ground – Other Not Reference Listed
9	Unknown	Not Recorded

EMS TRAUMA REGISTRY DATA DICTIONARY

PSAP Call Date

Definition: The date the phone rings requesting EMS services. The 911 call made to the Public Safety Answering Point (PSAP) or other designated entity.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	PSAP_CALL_DATE PSAP_CALL_DATE_NULL_VALUES
Answer type:	Date
Element Length:	YYYY/MM/DD
Required:	MANDATORY
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eTimes.01
TRACIT Field Name:	CALLDATE

Selection Values/Reference List:

If PSAP Call Date is unknown, then complete the PSAP_CALL_DATE_NULL_VALUES field. If left blank, the system will not create a record   Not Applicable Not Recorded

EMS TRAUMA REGISTRY DATA DICTIONARY

Call Type

Definition: The type of call as assigned when the EMS provider was dispatched.

Maven Question Package ID:	Agency/Responder
Maven Question ID:	CALL_TYPE_ID
Answer type:	Single-Select
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	None
TRACIT Field Name:	CALLTYPE

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
1	Medical	Medical
2	Trauma	Trauma
3	Both medical and trauma	Medical and Trauma
7	Not applicable (e.g. standby without incident	Not Applicable
9	Unknown (e.g. run sheet incomplete)	Not Recorded

Type of Service Requested

Definition: The type of service or category of service requested of the EMS Agency responding for this specific EMS event.

Maven Question Package ID:	Agency/Responder
Maven Question ID:	TYPE_SERVICE_REQUESTED
Answer type:	Single-Select
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eResponse.05
TRACIT Field Name:	RUNTYPE

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
1	911 call	911 Response (Scene
2	Emergency transfer & 'Trauma' (CALLTPYE) Emergency transfer & 'Medical' or 'Medical & Trauma' (CALLTPYE)	Interfacility transport Medical transport
3	Non -Emergency transfer & 'Trauma' (CALLTPYE) Non-Emergency transfer & 'Medical' or 'Medical & Trauma' (CALLTPYE)	Interfacility transport Medical transport
4	Standby	Standby
5	Mutual Aid (e.g. rendezvous, disaster response, additional staffing)	Mutual Aid
9	Unknown	Unknown

		Intercept
		Public Assistance/Other not listed

DRAFT

Type of Mutual Aid Given

Definition: The type of mutual aid given.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	MUTUAL_AID
Answer type:	Single-Select
Element Length:	N/A
Required:	No
Repeatable:	No
Null Values:	No
NEMSIS Field Name:	None
TRACIT Field Name:	MUTUAL

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
1	Rendezvous for patient pickup	Rendezvous for patient pickup
2	Rendezvous for level of care	Rendezvous for level of care
3	Rendezvous for equipment failure	Rendezvous for equipment failure
4	Disaster response	Disaster response
5	Additional staffing	Additional staffing
8	Other	Other
9	Unknown	Unknown

EMS TRAUMA REGISTRY DATA DICTIONARY

Incident/Patient Disposition

Definition: Type of disposition treatment and/or transport of the patient by this EMS Unit.

Maven Question Package ID:	Disposition/Outcome
Maven Question ID:	INCIDENT_PATIENT_DISPOSITION
Answer type:	Single-Select
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	No
NEMSIS Field Name:	eDisposition.12
TRACIT Field Name:	RESPTYPE

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
01	Call cancelled	Cancelled (Prior to Arrival At Scene)
02	False alarm (no incident occurred)	No Patient Found (Canceled on Scene)
03	No treatment, no transport	Patient Evaluated, No Treatment/Transport Required
04	Treatment, no transport	Patient Treated, Released (per protocol)
05	Treatment, transport refused	Patient Treated, Released (AMA)
06	Transport and treatment	Patient Treated, Transported by EMS
07	Transport, no treatment	Patient transported, no treatment necessary
08	DNR, transport	Patient Dead at Scene-Transported by EMS
09	DNR, no transport	Patient Dead at Scene-No EMS Transport
10	Dead on scene (pronounced at the scene)	Patient Dead at Scene-No EMS Transport
99	Unknown	Unknown
		Assist, Agency
		Assist, Public
		Assist, Unit
		Patient Refused Evaluation/Care (With Transport)

		Patient Treated, Transferred Care to Another EMS Professional
		Patient Treated, Transported by Law Enforcement
		Patient Treated, Transported by Private Vehicle
		Standby-No Services or Support Provided
		Standby-Public Safety, Fire, or EMS Operational Support Provided
		Transport of Body Parts or Organs Only

EMS TRAUMA REGISTRY DATA DICTIONARY

Incident Street Address

Definition: The street address where the patient was found or if no patient, the address to which the unit responded.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	INCIDENT_STREET_ADDRESS
Answer type:	String
Element Length:	55
Required:	No
Repeatable:	No
Null Values:	No
NEMSIS Field Name:	eScene.16
TRACIT Field Name:	Address

Selection Values/Reference List:

N/A

EMS TRAUMA REGISTRY DATA DICTIONARY

Incident City

Definition: The city or township (if applicable) where the patient was found or to which the unit responded (or best approximation).

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	INCIDENT_CITY INCIDENT_CITY_NULL_VALUES INCIDENT_CITY_RAW
Answer type:	Reference List
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eScene.20
TRACIT Field Name:	City

Selection Values/Reference List:

The list of cities is sourced from the Federal Information Processing Standards codes (FIPS). A City Raw field has been created to incorporate any cities that are not listed in the database.

Not Applicable
Not Recorded
Not Reporting

EMS TRAUMA REGISTRY DATA DICTIONARY

Incident Zip Code

Definition: The ZIP code of the incident location.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	INCIDENT_ZIP_CODE
	INCIDENT_ZIP_CODE_NULL_VALUES
Answer type:	String
Element Length:	9
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eScene.22
TRACIT Field Name:	ZIP

Selection Values/Reference List:

Not Applicable
Not Recorded
Not Reporting

EMS TRAUMA REGISTRY DATA DICTIONARY

Incident County

Definition: The county or parish where the patient was found or to which the unit responded (or best approximation).

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	INCIDENT_COUNTY INCIDENT_COUNTY_NULL_VALUES
Answer type:	Reference List
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eScene.21
TRACIT Field Name:	CNTYNO

Selection Values/Reference List:

Not Applicable
Not Recorded
Not Reporting

EMS TRAUMA REGISTRY DATA DICTIONARY

Scene GPS Location

Definition: The GPS coordinates associated with the Scene.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	SCENE_GPS_LOCATION
Answer type:	String
Element Length:	See below
Required:	No
Repeatable:	No
Null Values:	No
NEMSIS Field Name:	eScene.10
TRACIT Field Name:	GPSLAT, GPSLONG

Selection Values/Reference List:

GPS Latitude: -90.99999<=value<=90.99999
GPS Longitude: -180.99999<=value<=180.99999

EMS TRAUMA REGISTRY DATA DICTIONARY

PSAP Call Time

Definition: The time the phone rings requesting EMS Services. The 911 call to Public Safety Answering Point or other designated entity.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	PSAP_CALL_TIME PSAP_CALL_TIME_NULL_VALUES
Answer type:	Time
Element Length:	HH:MM (Military)
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eTimes.01
TRACIT Field Name:	CALLTIME

Selection Values/Reference List:

Not Applicable Not Recorded	12:00 AM – 00:00 hrs 01:00 AM – 01:00 hrs 02:00 AM – 02:00 hrs 03:00 AM – 03:00 hrs 04:00 AM – 04:00 hrs 05:00 AM – 05:00 hrs 06:00 AM – 06:00 hrs 07:00 AM – 07:00 hrs 08:00 AM – 08:00 hrs 09:00 AM – 09:00 hrs 10:00 AM – 10:00 hrs 11:00 AM – 11:00 hrs	12:00 PM – 12:00 hrs 01:00 PM – 13:00 hrs 02:00 PM – 14:00 hrs 03:00 PM – 15:00 hrs 04:00 PM – 16:00 hrs 05:00 PM – 17:00 hrs 06:00 PM – 18:00 hrs 07:00 PM – 19:00 hrs 08:00 PM – 20:00 hrs 09:00 PM – 21:00 hrs 10:00 PM – 22:00 hrs 11:00 PM – 23:00 hrs

EMS TRAUMA REGISTRY DATA DICTIONARY

EMS Unit Notified by Dispatch Time

Definition: The time the responding unit was notified by dispatch.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	UNIT_NOTIFIED_DISPATCH_TIME UNIT_NOTIFIED_DISPATCH_TIME_NULL_VALUES
Answer type:	Time
Element Length:	HH:MM (Military)
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eTimes.03
TRACIT Field Name:	DISPTIME

Selection Values/Reference List:

Not Applicable Not Recorded Not Reporting	12:00 AM – 00:00 hrs 01:00 AM – 01:00 hrs 02:00 AM – 02:00 hrs 03:00 AM – 03:00 hrs 04:00 AM – 04:00 hrs 05:00 AM – 05:00 hrs 06:00 AM – 06:00 hrs 07:00 AM – 07:00 hrs 08:00 AM – 08:00 hrs 09:00 AM – 09:00 hrs 10:00 AM – 10:00 hrs 11:00 AM – 11:00 hrs	12:00 PM – 12:00 hrs 01:00 PM – 13:00 hrs 02:00 PM – 14:00 hrs 03:00 PM – 15:00 hrs 04:00 PM – 16:00 hrs 05:00 PM – 17:00 hrs 06:00 PM – 18:00 hrs 07:00 PM – 19:00 hrs 08:00 PM – 20:00 hrs 09:00 PM – 21:00 hrs 10:00 PM – 22:00 hrs 11:00 PM – 23:00 hrs

EMS TRAUMA REGISTRY DATA DICTIONARY

EMS Unit En Route Time

Definition: The time the unit responded; that is, the time the vehicle started moving.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	UNIT_EN_ROUTE_TIME UNIT_EN_ROUTE_TIME_NULL_VALUES
Answer type:	Time
Element Length:	HH:MM (Military)
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eTimes.05
TRACIT Field Name:	ENRTTIME

Selection Values/Reference List:

Not Applicable Not Recorded	12:00 AM – 00:00 hrs	12:00 PM – 12:00 hrs
	01:00 AM – 01:00 hrs	01:00 PM – 13:00 hrs
	02:00 AM – 02:00 hrs	02:00 PM – 14:00 hrs
	03:00 AM – 03:00 hrs	03:00 PM – 15:00 hrs
	04:00 AM – 04:00 hrs	04:00 PM – 16:00 hrs
	05:00 AM – 05:00 hrs	05:00 PM – 17:00 hrs
	06:00 AM – 06:00 hrs	06:00 PM – 18:00 hrs
	07:00 AM – 07:00 hrs	07:00 PM – 19:00 hrs
	08:00 AM – 08:00 hrs	08:00 PM – 20:00 hrs
	09:00 AM – 09:00 hrs	09:00 PM – 21:00 hrs
	10:00 AM – 10:00 hrs	10:00 PM – 22:00 hrs
	11:00 AM – 11:00 hrs	11:00 PM – 23:00 hrs

EMS TRAUMA REGISTRY DATA DICTIONARY

EMS Unit Arrived on Scene Time

Definition: The time the responding unit arrived on the scene; that is, the time the vehicle stopped moving at the scene.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	UNIT_ARRIVED_ON_SCENE_TIME UNIT_ARRIVED_ON_SCENE_TIME_NULL_VALUES
Answer type:	Time
Element Length:	HH:MM (Military)
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eTimes.06
TRACIT Field Name:	ARRTTIME

Selection Values/Reference List:

Not Applicable Not Recorded	12:00 AM – 00:00 hrs	12:00 PM – 12:00 hrs
	01:00 AM – 01:00 hrs	01:00 PM – 13:00 hrs
	02:00 AM – 02:00 hrs	02:00 PM – 14:00 hrs
	03:00 AM – 03:00 hrs	03:00 PM – 15:00 hrs
	04:00 AM – 04:00 hrs	04:00 PM – 16:00 hrs
	05:00 AM – 05:00 hrs	05:00 PM – 17:00 hrs
	06:00 AM – 06:00 hrs	06:00 PM – 18:00 hrs
	07:00 AM – 07:00 hrs	07:00 PM – 19:00 hrs
	08:00 AM – 08:00 hrs	08:00 PM – 20:00 hrs
	09:00 AM – 09:00 hrs	09:00 PM – 21:00 hrs
	10:00 AM – 10:00 hrs	10:00 PM – 22:00 hrs
	11:00 AM – 11:00 hrs	11:00 PM – 23:00 hrs

EMS TRAUMA REGISTRY DATA DICTIONARY

Arrived at Patient Time

Definition: The date/time the responding unit arrived at the patient's side.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	ARRIVED_AT_PATIENT_TIME ARRIVED_AT_PATIENT_TIME_NULL_VALUES
Answer type:	Time
Element Length:	HH:MM (Military)
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eTimes.07
TRACIT Field Name:	PCTTIME

Selection Values/Reference List:

| Not Applicable
Not Recorded | 12:00 AM – 00:00 hrs
01:00 AM – 01:00 hrs
02:00 AM – 02:00 hrs
03:00 AM – 03:00 hrs
04:00 AM – 04:00 hrs
05:00 AM – 05:00 hrs
06:00 AM – 06:00 hrs
07:00 AM – 07:00 hrs
08:00 AM – 08:00 hrs
09:00 AM – 09:00 hrs
10:00 AM – 10:00 hrs
11:00 AM – 11:00 hrs | 12:00 PM – 12:00 hrs
01:00 PM – 13:00 hrs
02:00 PM – 14:00 hrs
03:00 PM – 15:00 hrs
04:00 PM – 16:00 hrs
05:00 PM – 17:00 hrs
06:00 PM – 18:00 hrs
07:00 PM – 19:00 hrs
08:00 PM – 20:00 hrs
09:00 PM – 21:00 hrs
10:00 PM – 22:00 hrs
11:00 PM – 23:00 hrs |

EMS TRAUMA REGISTRY DATA DICTIONARY

EMS Unit Left Scene Time

Definition: The time the responding unit left the scene with a patient (started moving).

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	UNIT_LEFT_SCENE_TIME UNIT_LEFT_SCENE_TIME_NULL_VALUES
Answer type:	Time
Element Length:	HH:MM (Military)
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eTimes.09
TRACIT Field Name:	DPRTTIME

Selection Values/Reference List:

Not Applicable Not Recorded	12:00 AM – 00:00 hrs	12:00 PM – 12:00 hrs
	01:00 AM – 01:00 hrs	01:00 PM – 13:00 hrs
	02:00 AM – 02:00 hrs	02:00 PM – 14:00 hrs
	03:00 AM – 03:00 hrs	03:00 PM – 15:00 hrs
	04:00 AM – 04:00 hrs	04:00 PM – 16:00 hrs
	05:00 AM – 05:00 hrs	05:00 PM – 17:00 hrs
	06:00 AM – 06:00 hrs	06:00 PM – 18:00 hrs
	07:00 AM – 07:00 hrs	07:00 PM – 19:00 hrs
	08:00 AM – 08:00 hrs	08:00 PM – 20:00 hrs
	09:00 AM – 09:00 hrs	09:00 PM – 21:00 hrs
	10:00 AM – 10:00 hrs	10:00 PM – 22:00 hrs
	11:00 AM – 11:00 hrs	11:00 PM – 23:00 hrs

EMS TRAUMA REGISTRY DATA DICTIONARY

Patient Arrived at Destination Time

Definition: The time the responding unit arrived with the patient at the destination or transfer point.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	PATIENT_ARRIVED_AT_DESTINATION_TIME PATIENT_ARRIVED_AT_DESTINATION_TIME_NULL_VALUES
Answer type:	Time
Element Length:	HH:MM (Military)
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eTimes.11
TRACIT Field Name:	DESTTIME

Selection Values/Reference List:

Not Applicable Not Recorded	12:00 AM – 00:00 hrs 01:00 AM – 01:00 hrs 02:00 AM – 02:00 hrs 03:00 AM – 03:00 hrs 04:00 AM – 04:00 hrs 05:00 AM – 05:00 hrs 06:00 AM – 06:00 hrs 07:00 AM – 07:00 hrs 08:00 AM – 08:00 hrs 09:00 AM – 09:00 hrs 10:00 AM – 10:00 hrs 11:00 AM – 11:00 hrs	12:00 PM – 12:00 hrs 01:00 PM – 13:00 hrs 02:00 PM – 14:00 hrs 03:00 PM – 15:00 hrs 04:00 PM – 16:00 hrs 05:00 PM – 17:00 hrs 06:00 PM – 18:00 hrs 07:00 PM – 19:00 hrs 08:00 PM – 20:00 hrs 09:00 PM – 21:00 hrs 10:00 PM – 22:00 hrs 11:00 PM – 23:00 hrs

EMS TRAUMA REGISTRY DATA DICTIONARY

EMS Unit Back in Service Time

Definition: The time the unit back was back in service and available for response (finished with call, but not necessarily back in home location).

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	UNIT_BACK_IN_SERVICE_TIME
	UNIT_BACK_IN_SERVICE_TIME_NULL_VALUES
Answer type:	Time
Element Length:	HH:MM (Military)
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eTimes.13
TRACIT Field Name:	SERVTIME

Selection Values/Reference List:

Not Applicable	12:00 AM – 00:00 hrs	12:00 PM – 12:00 hrs
Not Recorded	01:00 AM – 01:00 hrs	01:00 PM – 13:00 hrs
Not Reporting	02:00 AM – 02:00 hrs	02:00 PM – 14:00 hrs
	03:00 AM – 03:00 hrs	03:00 PM – 15:00 hrs
	04:00 AM – 04:00 hrs	04:00 PM – 16:00 hrs
	05:00 AM – 05:00 hrs	05:00 PM – 17:00 hrs
	06:00 AM – 06:00 hrs	06:00 PM – 18:00 hrs
	07:00 AM – 07:00 hrs	07:00 PM – 19:00 hrs
	08:00 AM – 08:00 hrs	08:00 PM – 20:00 hrs
	09:00 AM – 09:00 hrs	09:00 PM – 21:00 hrs
	10:00 AM – 10:00 hrs	10:00 PM – 22:00 hrs
	11:00 AM – 11:00 hrs	11:00 PM – 23:00 hrs

EMS TRAUMA REGISTRY DATA DICTIONARY

Patient's Last Name

Definition: The patient's last (family) name.

Maven Question Package ID:	Patient Information
Maven Question ID:	LAST_NAME LAST_NAME_NULL_VALUES
Answer type:	Freeform
Element Length:	50
Required:	MANDATORY
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	ePatient.02
TRACIT Field Name:	LNAME

Selection Values/Reference List:

If unable to obtain the Last Name then record unknown as the last name. If left blank, the system will not create a record.   Not Applicable Not Recorded Not Reporting

Patient's First Name

Definition: The patient's first (given) name.

Maven Question Package ID:	Patient Information
Maven Question ID:	FIRST_NAME FIRST_NAME_NULL_VALUES
Answer type:	Freeform
Element Length:	50
Required:	MANDATORY
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	ePatient.03
TRACIT Field Name:	FNAME

Selection Values/Reference List:

If unable to obtain the name then record unknown as the first name. If left blank, the system will not create a record.

Not Applicable
Not Recorded
Not Reporting

EMS TRAUMA REGISTRY DATA DICTIONARY

Patient's Middle Name/Initial

Definition: The patient's middle name, if any.

Maven Question Package ID:	Patient Information
Maven Question ID:	MIDDLE_NAME
Answer type:	Freeform
Element Length:	50
Required:	No
Repeatable:	No
Null Values:	No
NEMSIS Field Name:	ePatient.04
TRACIT Field Name:	MI

Selection Values/Reference List:

N/A

Patient's Date of Birth

Definition: The patient's date of birth.

Maven Question Package ID:	Patient Information
Maven Question ID:	BIRTH_DATE BIRTH_DATE_NULL_VALUES
Answer type:	Date
Element Length:	YYYY/MM/DD
Required:	MANDATORY
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	ePatient.17
TRACIT Field Name:	DOB

Selection Values/Reference List:

ELECTRONIC FILE UPLOAD: If unable to obtain birthdate then record 99/99/9999 as the date of birth.
If left blank, the system will not create a record.

Not Applicable
Not Recorded
Not Reporting

EMS TRAUMA REGISTRY DATA DICTIONARY

Patient's Social Security Number

Definition: The patient's social security number.

Maven Question Package ID:	Patient Information
Maven Question ID:	SSN
Answer type:	Number
Element Length:	9
Required:	No
Repeatable:	No
Null Values:	No
NEMSIS Field Name:	ePatient.12
TRACIT Field Name:	SSN

Selection Values/Reference List:

N/A

EMS TRAUMA REGISTRY DATA DICTIONARY

Driver's License Number

Definition: The patient's driver's license number.

Maven Question Package ID:	Patient Information
Maven Question ID:	DRIVERS_LICENSE_NUMBER
Answer type:	Freeform
Element Length:	No Restriction
Required:	Yes
Repeatable:	No
Null Values:	No
NEMSIS Field Name:	ePatient.21
TRACIT Field Name:	DLN

Selection Values/Reference List:

N/A

Patient's Home Address

Definition: The patient's home mailing or street address.

Maven Question Package ID:	Patient Information
Maven Question ID:	STREET_ADDRESS
Answer type:	Freeform
Element Length:	55
Required:	No
Repeatable:	No
Null Values:	No
NEMSIS Field Name:	ePatient.05
TRACIT Field Name:	RESADDR

Selection Values/Reference List:

N/A

EMS TRAUMA REGISTRY DATA DICTIONARY

Patient's Home City

Definition: The patient's home city or township or residence.

Maven Question Package ID:	Patient Information
Maven Question ID:	CITY CITY_NULL_VALUES CITY_RAW
Answer type:	Reference List
Element Length:	No Restriction
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	ePatient.05
TRACIT Field Name:	RESCITY

Selection Values/Reference List:

The list of cities is sourced from the Federal Information Processing Standards codes (FIPS). The field, City Raw, has been created to incorporate any cities that are not listed in the database.

Not Applicable
Not Recorded
Not Reporting

EMS TRAUMA REGISTRY DATA DICTIONARY

Patient's Home Zip Code

Definition: The patient's home ZIP code of residence.

Maven Question Package ID:	Patient Information
Maven Question ID:	ZIP_CODE ZIP_CODE_NULL_VALUES
Answer type:	Number
Element Length:	9
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	ePatient.09
TRACIT Field Name:	RESZIP

Selection Values/Reference List:

Not Applicable
Not Recorded
Not Reporting

EMS TRAUMA REGISTRY DATA DICTIONARY

Patient's Home County

Definition: The patient's home county or parish or residence.

Maven Question Package ID:	Patient Information
Maven Question ID:	COUNTY COUNTY_NULL_VALUES
Answer type:	Reference List
Element Length:	No Restriction
Required:	MANDATORY
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	ePatient.07
TRACIT Field Name:	RESCNTY

Selection Values/Reference List:

Not Applicable Not Recorded Not Reporting

EMS TRAUMA REGISTRY DATA DICTIONARY

Patient's Sex

Definition: The patient's gender.

Maven Question Package ID:	Patient Information
Maven Question ID:	SEX
Answer type:	Single-Select
Element Length:	No Restriction
Required:	MANDATORY
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	ePatient.13
TRACIT Field Name:	SEX

Selection Values/Reference List:

Unknown: If unable to obtain Sex then record unknown as the sex. If left blank, the system will not create a record.

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
1	Male	Male
2	Female	Female
9	Unknown	Unknown (Unable to Determine)

EMS TRAUMA REGISTRY DATA DICTIONARY

Race

Definition: The patient's race as defined by the US Office of Management and Budget (OMB).

Maven Question Package ID:	Patient Information
Maven Question ID:	RACE
Answer type:	Single Select
Element Length:	N/A
Required:	Yes
Repeatable:	Yes
Null Values:	Yes
NEMSIS Field Name:	ePatient.14
TRACIT Field Name:	Race

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
1	White, non-Hispanic	White
2	Hispanic	Hispanic/Latino
3	Black	Black or African American
4	Asian/Pacific Islander	Asian
5	American Indian/Alaskan Native	American Indian/Alaskan Native
8	Other	Other Race
9	Unknown	Not Recorded
		Native Hawaiian or Other Pacific Islander
		Not Applicable

Systolic Blood Pressure

Definition: The patient's systolic blood pressure.

Maven Question Package ID:	Disposition/Outcome
Maven Question ID:	SYSTOLIC_BLOOD_PRESSURE SYSTOLIC_BLOOD_PRESSURE_NULL_VALUES
Answer type:	Number
Element Length:	0, 500
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eVitals.06
TRACIT Field Name:	SBP

Selection Values/Reference List:

```
Not Applicable
Not Recorded
Not Reporting
```

Heart Rate

Definition: The patient's heart rate expressed as a number per minute.

Maven Question Package ID:	Procedure/Treatment
Maven Question ID:	HEART_RATE HEART_RATE_NULL_VALUES
Answer type:	Number
Element Length:	0, 500
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eVitals.10
TRACIT Field Name:	PULSE

Selection Values/Reference List:

Exam Finding Not Present
Not Applicable
Not Recorded
Refused
Unable to Complete

EMS TRAUMA REGISTRY DATA DICTIONARY

Respiratory Rate (spontaneous)

Definition: The patient's respiratory rate expressed as a number per minute.

Maven Question Package ID:	Procedure/Treatment
Maven Question ID:	RESPIRATORY_RATE
	RESPIRATORY_RATE_NULL_VALUES
Answer type:	Number
Element Length:	0, 300
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eVitals.14
TRACIT Field Name:	RR

Selection Values/Reference List:

Exam Finding Not Present
Not Applicable
Not Recorded
Refused
Unable to Complete

Glasgow Coma Score Eye

Definition: The patient's Glasgow Coma Score Eye opening.

Maven Question Package ID:	Procedure/Treatment
Maven Question ID:	GLASGOW_COMA_SCORE_EYE
Answer type:	Single-Select
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eVitals.19
TRACIT Field Name:	EYE

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
1	No Response	No eye movement when assessed (All Age Groups)
2	To pain	Opens eyes to painful stimulation (All Age Groups)
3	To verbal command	Opens eyes to verbal stimulation (All Age Groups)
4	Spontaneously	Opens eyes spontaneously (All Age Groups)
9	Unknown	Not Recorded
		Not Applicable
		Not Reporting
		Refused
		Unable to Complete

EMS TRAUMA REGISTRY DATA DICTIONARY

Glasgow Coma Score Verbal

Definition: The patient's Glasgow Coma Score Verbal.

Maven Question Package ID:	Procedure/Treatment
Maven Question ID:	GLASGOW_COMA_SCORE_VERBAL
Answer type:	Single-Select
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eVitals.20
TRACIT Field Name:	EYE

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
1	No Response	No verbal/vocal response (All Age Groups)
2	Incomprehensible Sounds	Incomprehensible sounds (and > 2 Years); Inconsolable, agitated (and </=2)
3	Inappropriate Words	Inappropriate words (and > 2 Years); inconsistently consolable, moaning (and </=2)
4	Disoriented and converses	Confused (and >2 Years); Cries but is consolable, inappropriate interactions
5	Oriented and converses	Oriented (and >2 Years); Smiles, oriented to sounds, follows objects, interacts
9	Not available	Not Recorded
		Not Applicable
		Not Reporting
		Refused
		Unable to Complete

EMS TRAUMA REGISTRY DATA DICTIONARY

Glasgow Score Motor

Definition: The patient's Glasgow Coma Score Motor.

Maven Question Package ID:	Procedure/Treatment
Maven Question ID:	GLASGOW_COMA_SCORE_MOTOR
Answer type:	Single-Select
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eVitals.21
TRACIT Field Name:	EYE

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
1	No Response	No Motor Response (All Age Groups)
2	Extension (decerebrate)	Extension to pain (All Age Groups)
3	Flexion – abnormal (decorticate)	Flexion to pain (All Age Groups)
4	Flexion – withdrawal	Withdrawal from pain (All Age Groups)
5	Localizes Pain	Localizing pain (All Age Groups)
6	Obeys commands with appropriate motor response	Obeys commands (and>2 Years); Appropriate response to stimulation (and </=2)
9	Not available/cannot be accurately assessed	Not Recorded
		Not Applicable
		Not Reporting
		Refused
		Unable to Complete

EMS TRAUMA REGISTRY DATA DICTIONARY

Injury/Incident Date

Definition: The date the injury/incident occurred.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	INCIDENT_DATE INCIDENT_DATE_NULL_VALUES
Answer type:	Date
Element Length:	MM/DD/YYYY
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eSituation.01
TRACIT Field Name:	OCCDATE

Selection Values/Reference List:

Not Applicable
Not Recorded
Not Reporting

Primary Cause of Injury

Definition: The primary cause of the injury.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	CAUSE_OF_INJURY
Answer type:	Reference List
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eInjury.01
TRACIT Field Name:	INJCAUSE

Selection Values/Reference List:

Any valid ICD-9 E-code between 800.0 and 999.8. Do not include the E prefix. Suggested code list is represented in ICD-9 – will be available on the DSHS website in final draft.

EMS TRAUMA REGISTRY DATA DICTIONARY

Incident Location Type

Definition: The type of location where the incident occurred.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	INCIDENT_LOCATION_TYPE
Answer type:	Reference List
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eScene.09
TRACIT Field Name:	INJPLACE

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
01	Home	Home residential
02	Farm	Farm
03	Mine and quarry	Mine and quarry
04	Industrial place and premises	Industrial places and premises
05	Place or recreation and sport	Place for recreation and sport
06	Street or Highway	Street and Highway
07	Public building	Public building
08	Residential institutions	Residential institution
09	Educational institutions	Other specified places
10	Hospital ER	Other specified places
11	Hospital – other or unspecified location	Other specified places
12	EMS Provider	Other specified places
13	Dialysis	Other specified places
14	Nursing home (public)	Other specified places
15	Assisted living center (private)	Other specified places
16	Rehabilitation Center	Other specified places
17	Doctor's office	Other specified places

18	Rural health clinic	Other specified places
19	Walk-in clinic	Other specified places
88	Other specified place	Other specified places
99	Unknown	Unspecified places
		Not Applicable
		Not Recorded

Chief Complaint Anatomic Location

Definition: The primary anatomic location of the chief complaint as identified by EMS personnel.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	CHIEF_COMPLAINT_ANATOMIC_LOCATION
Answer type:	Single-Select
Element Length:	N/A
Required:	Yes
Repeatable:	Yes
Null Values:	Yes
NEMSIS Field Name:	eSituation.07
TRACIT Field Name:	LOC1-5

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
01	External (including burns)	n/a
02	Head only (excluding neck, cervical spine and ear)	Head
03	Face (including ear)	Head
04	Neck	Neck
05	Thorax (excluding thoracic spine)	Chest
06	Abdomen (excluding lumbar spine)	Abdomen
07	Spine	Back
08	Upper extremities	Extremity – Upper
09	Lower extremities	Extremity – Lower
10	Body region unspecified	General/Global
77	Not applicable (used when there are less than 5 injury types)	Not Applicable
88	Other	Not Recorded
99	Unknown	Not Recorded
		Genitalia
		Neurological
		Mental Status
		Skin

EMS TRAUMA REGISTRY DATA DICTIONARY

Use of Occupant Safety Equipment

Definition: Safety equipment in use by the patient at the time of the injury.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	USE_OCCUPANT_SAFETY_EQUIPMENT
Answer type:	Multi-Select
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eInjury.07
TRACIT Field Name:	SAFE1-5

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
01	None used	None
02	Shoulder belt	Lap belt with shoulder belt
03	Lap belt	Lap belt without shoulder belt
04	Infant/Child safety seat	Infant car seat forward facing
05	Air bag deployed	Airbag present
06	Helmet	Helmet (e.g. bicycle, skiing, motorcycle)
07	Eye protection	Eye protection
08	Protective clothing	Protective clothing (e.g. padded leather pants)
09	Personal floatation device	Personal floatation device
77	Not applicable (also used when there are less than 5 safety devices used)	Not Applicable
88	Other or combined protective gear	Other
99	Unknown	Not Recorded
		Not Reporting
		Protective Non-Clothing Gear (e.g. shin guard)
		Infant car seat rear facing
		Child booster seat
		Shoulder belt without lap belt

EMS TRAUMA REGISTRY DATA DICTIONARY

Primary Symptom

Definition: The primary sign and symptom present in the patient or observed by EMS personnel.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	PRIMARY_SYMPTOM
Answer type:	Reference List
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	No
NEMSIS Field Name:	eSituation.09
TRACIT Field Name:	ILL1-5

Selection Values/Reference List:

Symptom - list will be available on the DSHS website in final draft.

Other Associated Symptoms

Definition: Other symptoms identified by the patient or observed by EMS personnel.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	ASSOCIATED_SYMPTOMS
Answer type:	Reference List
Element Length:	N/A
Required:	Yes
Repeatable:	Yes
Null Values:	No
NEMSIS Field Name:	eSituation.10
TRACIT Field Name:	ILL1-5

Selection Values/Reference List:

Symptom - list will be available on the DSHS website in final draft.

Medical/Surgical History

Definition: The pre-existing medical and surgery history of the patient.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	MEDICAL_SURGICAL_HISTORY
Answer type:	Reference List
Element Length:	N/A
Required:	Yes
Repeatable:	Yes
Null Values:	No
NEMSIS Field Name:	eHistory.08
TRACIT Field Name:	PRIOR1-5

Selection Values/Reference List:

Surgical History - list will be available on the DSHS website in final draft.

CPR Care Provided Prior to EMS Arrival

Definition: Documentation of the CPR provided prior to EMS arrival.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	CPR_PROVIDED_PRIOR_EMS_ARRIVAL
Answer type:	Single-Select
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eArrest.05
TRACIT Field Name:	AIDBY1-3, AIDTYPE1-3

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
1	Yes	Yes
2	Yes	Yes
3	No	No
7	Not Applicable	Not Applicable
8	Not Recorded	Not Recorded
9	Not Recorded	Not Recorded

Who Provided CPR Prior to EMS Arrival

Definition: Documentation of who performed CPR prior to this EMS unit's arrival.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	WHO_PROVIDED_CPR_PRIOR_EMS_ARRIVAL
Answer type:	Multi-Select
Element Length:	N/A
Required:	No
Repeatable:	No
Null Values:	No
NEMSIS Field Name:	eArrest.06
TRACIT Field Name:	AIDBY1-3, AIDTYPE1-3

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
1	First responder	First Responder
2	Law enforcement	First Responder
3	Nursing home staff	Healthcare Professional (Non-EMS)
4	Physician on scene	Healthcare Professional (Non-EMS)
5	Healthcare provider on scene	Healthcare Professional (Non-EMS)
6	Bystander	Lay Person (Non-Family)
7	Not Applicable	n/a
8	Not Recorded	n/a
9	Not Recorded	n/a
		Other EMS Professional

EMS TRAUMA REGISTRY DATA DICTIONARY

Type of CPR Provided

Definition: Documentation of the type/technique of CPR used by EMS.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	TYPE_CPR_PROVIDED
Answer type:	Multi-Select
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eArrest.09
TRACIT Field Name:	None

Selection Values/Reference List:

Compressions-Continuous
Compressions-External Band Type Device
Compressions-External Plunger Type Device
Compressions-External Thumper Type Device
Compressions-Intermittent with Ventilation
Compressions-Other Device (Not Listed)
Ventilation-Bag Valve Mask
Ventilation-Impedance Threshold Device
Ventilation-Mouth to Mouth
Ventilation-Pocket Mask
Not Applicable
Not Recorded

Note – this element only pertains to web entry users

EMS TRAUMA REGISTRY DATA DICTIONARY

AED Used Prior to EMS Arrival

Definition: Documentation of AED use Prior to EMS Arrival.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	AED_USED_PRIOR_EMS_ARRIVAL
Answer type:	Single-Select
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eArrest.07
TRACIT Field Name:	AIDBY1-3, AIDTYPE1-3

Selection Values/Reference List:

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
1	CPR Only	No
2	CPR and AED provided	Yes, applied without defibrillation
3	AED only	Yes, applied without defibrillation
7	Not applicable	Not Applicable
8	Other aid provided	Not Recorded
9	Unknown	Not Recorded
		Yes, applied with defibrillation

EMS TRAUMA REGISTRY DATA DICTIONARY

Patient Arrived at Destination Date

Definition: The date the responding unit arrived with the patient at the destination or transfer point.

Maven Question Package ID:	Run Information/Pre-Hospital
Maven Question ID:	PATIENT_ARRIVED_AT_DESTINATION_DATE PATIENT_ARRIVED_AT_DESTINATION_DATE_NULL_VALUES
Answer type:	Date
Element Length:	YYYY/MM/DD
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eTimes.11
TRACIT Field Name:	ARRDATE

Selection Values/Reference List:

```
Not Applicable
Not Recorded
```

EMS TRAUMA REGISTRY DATA DICTIONARY

Type of Destination

Definition: The type of destination the patient was delivered or transferred to.

Maven Question Package ID:	Disposition/Outcome
Maven Question ID:	DESTINATION_TYPE
Answer type:	Single-Select
Element Length:	N/A
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eDisposition.21
TRACIT Field Name:	DESTIN

Selection Values/Reference List:

Unknown: If unable to obtain the Type of Destination then record Unknown as the type of destination. If left blank, the system will not create a record.

DSHS Code	DSHS Legacy Value for Data Conversion	Maven Values
01	Home	Home
02	Farm	Other (Not Reference Listed)
03	Mine and quarry	Other (Not Reference Listed)
04	Industrial place and premises	Other (Not Reference Listed)
05	Place for recreation and sport	Other (Not Reference Listed)
06	Street or Highway	Other (Not Reference Listed)
07	Public Building	Other (Not Reference Listed)
08	Residential institution	Other (Not Reference Listed)
09	Educational institution	Other (Not Reference Listed)
10	Hospital ER	Hospital – Emergency Department
11	Hospital – other or unspecified location	Hospital – In Patient Bed
12	EMS Provider	Other EMS Responder (Ground)
13	Dialysis	Medical Office/Clinic
14	Nursing home (public)	Nursing Home/Assisted Living Facility
15	Assisted living center (private)	Nursing Home/Assisted Living Facility
16	Rehabilitation Center	Other (Not Reference Listed)

17	Doctor's office	Medical Office/Clinic
18	Rural health clinic	Medical Office/Clinic
19	Walk-in clinic	Medical Office/Clinic
88	Other specified place	Other (Not Reference Listed)
99	Unknown	Not Recorded
		Morgue/Mortuary
		Police/Jail
		Other EMS Responder (Air)
		Not Applicable

Destination/Transferred To, Code

Definition: The code of the destination the patient was delivered or transferred to.

Maven Question Package ID:	Disposition/Outcome
Maven Question ID:	DESTINATION_CODE
	DESTINATION_CODE_NULL_VALUES
Answer type:	Number
Element Length:	No Restriction
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eDisposition.02
TRACIT Field Name:	DESTINID

Selection Values/Reference List:

Unknown: If unable to obtain the Type of Destination then record Unknown as the type of destination. If left blank, the system will not create a record.

Not Applicable
Not Recorded
Not Reporting

Facilities - list will be available on the DSHS website in final draft.

Respiratory Rate at Destination (spontaneous)

Definition: The patient's respiratory rate expressed as a number per minute recorded at the destination.

Maven Question Package ID:	Disposition/Outcome
Maven Question ID:	DESTINATION_RESPIRATORY_RATE DESTINATION_RESPIRATORY_RATE_NULL_VALUES
Answer type:	Number
Element Length:	0,300
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eVitals.14
TRACIT Field Name:	RR2

Selection Values/Reference List:

Exam Finding Not Present Not Applicable Not Recorded Refused Unable to Complete

Destination Heart Rate

Definition: The patient's heart rate expressed as a number per minute recorded at the destination.

Maven Question Package ID:	Disposition/Outcome
Maven Question ID:	DESTINATION_HEART_RATE DESTINATION_HEART_RATE_NULL_VALUES
Answer type:	Number
Element Length:	0,500
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eVitals.10
TRACIT Field Name:	PULSE2

Selection Values/Reference List:

Not Applicable
Not Recorded
Not Reporting

SBP (Systolic Blood Pressure) at Destination

Definition: The patient's systolic blood pressure at the destination recorded at the destination.

Maven Question Package ID:	Disposition/Outcome
Maven Question ID:	DESTINATION_SYSTOLIC_BLOOD_PRESSURE DESTINATION_SYSTOLIC_BLOOD_PRESSURE_NULL_VALUES
Answer type:	Number
Element Length:	0,500
Required:	Yes
Repeatable:	No
Null Values:	Yes
NEMSIS Field Name:	eVitals.06
TRACIT Field Name:	SBP2

Selection Values/Reference List:

Not Applicable
Not Recorded
Not Reporting